PASCO COUNTY BOARD OF COUNTY COMMISSIONERS PURCHASING DEPARTMENT 8919 GOVERNMENT DRIVE NEW PORT RICHEY, FLORIDA 34654



TELEPHONE: (727) 847-8194 FACSIMILE: (727) 847-8065 pascocountyfl.net

INVITATION FOR BIDS BID NO. 07-091D AIR-COOLED CONDENSING UNITS AND SPLIT-SYSTEM AIR-HANDLING UNIT

SUMMARY OF WORK

It is the intent of this solicitation to contract with a vendor to provide air-cooled condensing units and a split-system air handling unit per the specifications.

The Pasco County Purchasing Department will receive sealed bids until 2:30 p.m., local time (our clock), on April 20, 2007, in the Pasco County Purchasing Department, 8919 Government Drive, New Port Richey, Florida. Bids received after this time will not be accepted. Bids will be publicly opened and read at the above-stated time and date. All interested parties are invited to attend. Bidders shall submit one (1) original bid form.

Please immediately advise of address changes or if you wish to have your firm removed from the vendor list. Vendors receiving this notice must submit either a bid/proposal or "NO BID" to remain on our vendor list for the specified commodity or service. A "NO BID" is provided on Page 2 for your convenience.

This cover is only intended to inform vendors of a pending Invitation for Bid or Request for Proposal. For complete details, please refer to the complete bid/proposal package.

Bid documents may be downloaded by visiting www.PascoCountyFL.net or by requesting copies from the Purchasing Department at no cost. Pasco County is not responsible for expenses incurred prior to award by the Board of County Commissioners (BCC).

Dawn D'Ascoli Buyer

PASCO COUNTY BOARD OF COUNTY COMMISSIONERS PURCHASING DEPARTMENT 8919 GOVERNMENT DRIVE NEW PORT RICHEY, FLORIDA 34654

STATEMENT OF NO BID

We, the undersigned, have declined to submit a bid response to Invitation for Bid No. 07-091D for the following reason(s):

Plea	se chec	ck all that apply.				
1.		Opening date does not allow sufficient time to complete bid response.				
2.		We do not offer the commodities	We do not offer the commodities or services requested.			
3.		Our schedule would not permit us to perform.				
4.		We are unable to meet the issued specification.				
5.		Specifications are restrictive (ple	ase explain below).			
6.		We are unable to meet the surety	requirements.			
7.		Other:				
		and that if a "NO BID" is not returned ect commodity.	ed, our firm will be removed from the bidders' list			
Nam	e:					
Sign	ature:		Company:			
			Address:			
			City/State/Zip:			
			Telephone:			
			Facsimile:			
			Fed. ID No.:			

IMPORTANT!—PLEASE READ CAREFULLY BEFORE MAKING BID

GENERAL PROVISIONS

These general terms and conditions of the bid quotation and acceptance apply in like force to this inquiry and to any subsequent contract resulting therefrom.

ACKNOWLEDGMENT OF AMENDMENTS

Bidders shall acknowledge receipt of any amendment to the solicitation by identifying the amendment number in the space provided for this purpose on the bid form, by letter, or by returning a copy of the issued amendment with the submitted bid. The acknowledgment must be received by Pasco County by the time and at the place specified for the receipt of bids. Failure to acknowledge an issued amendment may result in bid rejection and disqualification.

ADDITIONAL INFORMATION

Questions concerning the contract or technical portions of the bid document must be submitted in writing to Scott P. Stromer, Purchasing Director, Pasco County Purchasing Department; 8919 Government Drive; New Port Richey, Florida 34654; facsimile (fax) machine number (727) 847-8065. Bidders are cautioned that any statements made by individuals, or employees of Pasco County, that materially change any portion of the bid document shall not be relied upon unless subsequently ratified by a formal written amendment to the bid document. No contractual or technical questions will be accepted after ten (10) days prior to the date set for bid opening.

ALTERNATIVE BIDS

The bidder **WILL NOT** be allowed to offer more than one (1) price (for the goods or services specified). If the said bidder should submit more than one (1) price on any item (or service), **ALL** prices will be rejected for that item. The bidders offering service delivery methods other than those permitted by the scope of work or specifications may submit a separate envelope clearly marked "Alternative Bid." Alternative bids will be deemed nonresponsive and will not be considered for award. All such responses will, however, be examined prior to award. Such examination may result in cancellation of all bids received to permit rewriting the scope of work or specifications to include the alternative method, or the alternative method may be considered for future requirements of Pasco County.

ANTITRUST

By entering into a contract, the contractor conveys, sells, assigns, and transfers to Pasco County all rights, titles, and interest it may now have or hereafter acquire under the antitrust laws of the United States and the State of Florida that relate to the particular goods or services purchased or acquired by Pasco County under the said contract.

APPLICABLE LAW

The contract shall be governed in all respects by the laws of the State of Florida, and any litigation with respect thereto shall be brought in the courts of Pasco County, Florida. The contractor shall comply with all applicable Federal, State, and local laws and regulations. Lack of knowledge by the bidder will in no way be a cause for relief from responsibility.

ASSIGNMENT

The contractor shall not assign, transfer, convey, sublet, or otherwise dispose of any award or any or all of its rights, title, or interest therein, or delegate the duties hereunder without the prior written consent of Pasco County.

AWARD

Consideration for award will be by proximity to specifications given, costs, and time of delivery. All purchases, leases, or contracts that are based on competitive bids will be awarded to the lowest, responsive, and responsible bidder. Complete and accurate responses to all items are necessary for the complete and fair evaluation of bids. Bid award, in addition to the above stated, will be based on compliance with the specified requirements as well as the "total-cost" or "life-cycle costing" concept, including the following: 1) Cost: A cost analysis will be conducted and will include all identifiable costs associated with acquisition, installation, maintenance, and operation of the bidder's offered equipment. The analysis will be based upon the bidder's proposal data and other costs which, in the judgment of the evaluators, will be incurred by Pasco County resulting from acceptance of the bidder's proposal; 2) Equipment: Evaluation of equipment will be based on compliance with the specifications, expected life of equipment, output, maintenance, consumption, disposal value, warranty, complexity of operation, required training, and other factors that may contribute to the overall cost of the specified item; and 3) Bidder's Reputation and Experience: Evaluation of the bidder's reputation, past performance, and experience shall be based on the nature and extent of company data furnished, references and financial responsibility of the bidder. Pasco County reserves the right to award by item, group of items, or lowest total, whichever is deemed to be in Pasco County's best interest.

BID ACCEPTANCE PERIOD

Any bid submitted as a result of the solicitation shall be binding on the bidder for a minimum of ninety (90) calendar days following the bid opening date. Any bid for which the bidder specifies a shorter acceptance period may be rejected.

BID CLARIFICATIONS

If any party contemplating the submission of a bid on this invitation is in doubt as to the true meaning of any part of the plans, specifications, or other documents, he should submit a written request for an interpretation thereof to the Purchasing Director. The bidder's concerns, regarding clarification of specifications and/or discrepancies and/or omissions and/or changes to the attached specifications shall be made in writing and received by Pasco County no later than ten (10) calendar days prior to the bid opening date. The letter from the bidder shall state clearly, and in detail, the basis for such concern(s) or request(s). The letter shall be addressed to the Purchasing Director, and marked "PREBID QUESTION" on the face of the envelope. The Purchasing Director will respond in writing. An interpretation of the bid invitation document will be made only by addendum duly issued to each party receiving a bid invitation. All such addenda shall become part of the contract documents. Pasco County shall not be responsible for explanations or interpretations of bid invitation documents except as issued in accordance herewith. No oral interpretations will be made as to the meaning of specifications or any other contract documents. Failure to comply with this provision will result in the bidder waiving his/her right to dispute the bid specification.

BIDDER CERTIFICATION

The bidder agrees that submission of a signed bid form is certification that the bidder will accept an award made to it as a result of the submission.

BIDDER INVESTIGATIONS

Before submitting a bid, each bidder shall make all investigations and examinations necessary to ascertain all site conditions and requirements affecting the full performance of the contract and to verify any representations made by Pasco County upon which the bidder will rely. If the bidder receives an award as a result of its bid submission, failure to have made such investigations and examinations will in no way relieve the bidder from its obligation to comply in every detail with all provisions and requirements of the contract documents, nor will a plea of ignorance of such conditions and requirements be accepted as a basis for any claim whatsoever by the contractor for additional compensation.

BIDDERS' LIST

Failure to submit a bid for the item(s) specified will result in removal from the bidders' list for such (an) item(s). If a bid is not submitted, a "NO BID" response must be submitted to remain on the Pasco County's bidders' list for such items. A form for submitting a "NO BID" is provided on Page 2 for your convenience.

BID ENVELOPES

Envelopes containing bids must be sealed and marked in the lower left-hand corner with the invitation number, commodity, and date and hour of opening of bids. Failure to do so may cause bid not to be considered. Express Company or Express Mail envelopes containing a sealed bid shall also be sealed and marked in the lower left-hand corner with the invitation number, commodity, and date and hour of opening of bids.

BID FORM SUBMISSION

Bids shall be submitted on the attached forms. Bids concerning separate bid invitations must not be combined on the same form or placed in the same envelope. Bids submitted in violation of this provision shall not be considered. All bids must be signed, in ink, in order to be considered. Erasures are not acceptable on bids; if necessary to make a change, strike out or draw a line through incorrect item and type the correction above, and initial the correction in ink. If the bidder is a firm or corporation, the bidder must show the title of the individual executing the bid, and if the individual is not an officer of the firm or corporation, the bidder must submit proof that the individual has the authority to obligate the firm or corporation. BIDS MAY NOT BE ALTERED OR AMENDED AFTER THE BID CLOSING.

BID RECEIPT AND OPENING

Pasco County will receive sealed bid proposals until date and time indicated on bid cover. Bids must be delivered, by hand or mail, to the Pasco County Purchasing Department, located at 8919 Government Drive, New Port Richey, Florida, where they will be opened at the stated time. Bids must be time stamped in the Purchasing Department before or on the hour and date indicated on the cover sheet (Invitation for Bid) for the bid opening. Bids received after the date and time of the bid opening will be received, date stamped, and returned to the bidder unopened. It is the responsibility of the bidder to ensure that bids arrive at the designated opening place on time. Late or nondelivery due to mail or express delivery company failure will not be considered adequate reason for consideration of late bids. FAXED BIDS WILL NOT BE ACCEPTED AND SHALL NOT BE CONSIDERED FOR EVALUATION OR AWARD. Notes may be taken at the public reading of the bid(s) at the specified time and date of the opening or a personal inspection may be made of the bid(s) after award has been made and documents are placed in central and public files.

BID WITHDRAWAL

Bids may not be changed after the bid closing time.

To withdraw a bid that includes a clerical error after bid opening, the bidder must give notice in writing to Pasco County of claim or right to withdraw a bid. Within two (2) business days after the bid opening, the bidder requesting withdrawal must provide to Pasco County all original work papers, documents, and other materials used in the preparation of the bid. A bidder may also withdraw a bid prior to the time set for the opening of bids by simply making a request in writing to Pasco County; no explanation is required. No bidder who is permitted to withdraw a bid shall, for compensation, supply any material or labor to or perform any subcontract or other work for the person to whom the contract is awarded or otherwise benefit from the contract. No partial withdrawals of a bid are permitted after the time and date set for the bid opening; only complete withdrawals are permitted. The decision to allow or disallow bid withdrawal remains solely with Pasco County.

BRAND NAMES

Any catalog, brand name, or manufacturer's reference used in the specifications is intended to be descriptive and not restrictive, and is used **only** to indicate type and quality desired. Any article, equipment, or material, which shall conform to the standards and excellence, so established, and is of equal merit, strength, durability, and appearance to perform the desired function, is deemed eligible for offer as a substitute. The qualifications of the offering shall be judged as to their conformance with these specifications. Any equipment offered other than herein specified shall be subject to a competitive demonstration and evaluation by Pasco County. The determination as to whether any alternate product or service is or is not equal shall be made by Pasco County, and such determination(s) shall be final and binding upon all bidders.

CANCELLATION

Pasco County reserves the right to cancel a resulting contract, without cause, by giving thirty (30) days' prior written notice to the contractor of the intention to cancel, or with cause if at any time the contractor fails to fulfill or abide by any of the terms or conditions specified. Failure of the contractor to comply with any of the provisions of a resulting contract shall be considered a material breach of contract and shall be cause for immediate termination of the contract at the sole discretion of Pasco County. In addition to all other legal remedies available to Pasco County, Pasco County reserves the right to cancel and obtain from another source, any services which have not been provided within the required period of time or, if no such time is stated, within a reasonable period of time from the date of order or request, as determined by Pasco County.

CERTIFICATION OF INDEPENDENT PRICE DETERMINATION

The bidder certifies that the prices submitted in response to the solicitation have been arrived at independently and without—for the purpose of restricting competition—any consultation, communication, or agreement with any other bidder or competitor relating to those prices, the intention to submit a bid, or the methods or factors used to calculate the prices bid.

CHANGE IN SCOPE OF WORK

Pasco County may order changes in the work consisting of additions, deletions, or other revisions within the general scope of the contract. No claims may be made by the contractor that the scope of the project or of the contractor's services has been changed, requiring changes to the amount of compensation to the contractor or other adjustments to the contract, unless such changes or adjustments have been made by written amendment to the contract or

purchase order signed by Purchasing Director. If the contractor believes that any particular work is not within the scope of the project, is a material change, or will otherwise require more compensation to the contractor, the contractor must immediately notify Pasco County in writing of this belief. If Pasco County believes that the particular work is within the scope of the contract as written, the contractor will be ordered to and shall continue with the work as changed and at the cost stated for the work within the scope.

COLLUSION AMONG BIDDERS

Each bidder, by submitting a bid, certifies that it is not a party to any collusive action or any action that may be in violation of the Sherman Antitrust Act. Any or all bids shall be rejected if there is any reason for believing that collusion exists among the bidders. Pasco County may or may not, at its discretion, accept future bids for the same work from participants in such collusion. More than one (1) bid from an individual, firm, partnership, cooperation, or association under the same or different names may be rejected. Reasonable grounds for believing that a bidder has interest in more than one (1) bid for the work being bid may result in rejection of all bids in which the bidder is believed to have interest. Nothing in this clause shall preclude a firm acting as a subcontractor to be included as a subcontractor for two (2) or more primary contractors submitting a bid for the work.

CONFLICT OF INTEREST

The contractor, by submission of its proposal, certifies that to the best of his/her knowledge or belief, no elected/appointed official or employee of Pasco County is financially interested, directly or indirectly, in the offer of goods or services specified in this invitation.

DEBARMENT

By submitting a bid, the bidder certifies that it is not currently debarred from submitting bids for contracts issued by any political subdivision or agency of the State of Florida and that it is not an agent of a person or entity that is currently debarred from submitting bids for contracts issued by any subdivision or agency of the State of Florida.

ERRORS IN EXTENSIONS

If the unit price and the extension price are at variance, the unit price shall prevail.

ETHICS IN PUBLIC PROCUREMENT

The contract shall incorporate by reference, but shall not be limited to, the provisions of law contained in Chapter 112, Florida Statutes. A person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity; may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work; may not submit bids on leases or real property to a public entity; may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity; and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017, Florida Statutes, for CATEGORY TWO for a period of thirty-six (36) months from the date of being placed on the convicted vendor list. The bidder certifies that its bid was made without collusion or fraud; that it has not offered or received any kickbacks or inducements from any other bidder, supplier, manufacturer, or subcontractor in connection with this bid; and that it has not conferred on any public employee having official responsibility for this procurement transaction any payment, loan, subscription, advance, deposit of money, services, or anything of value.

EXCEPTIONS

Bidders taking exception to any part or section of the solicitation shall indicate such exceptions on the bid form or appendix. Failure to indicate any exception will be interpreted as the bidder's intent to comply fully with the requirements as written. Conditional or qualified bids, unless specifically allowed, shall be subject to rejection in whole or in part.

EXPENSES INCURRED IN PREPARING BID

Pasco County accepts no responsibility for any expense incurred by the bidder in the preparation and presentation of a bid. Such expenses shall be borne exclusively by the bidder.

FAILURE TO DELIVER

In the event of failure of the contractor to deliver the goods and services in accordance with the contract terms and conditions, Pasco County may procure the goods and services from other sources and hold the contractor responsible for any resulting additional costs. A failure to deliver will result in immediate termination of a resulting contract, and immediate disqualification and debarment from submitting bids to Pasco County for a maximum of three (3) years. These remedies shall be in addition to any other remedies that Pasco County may have available.

FAILURE TO ENFORCE

Failure by Pasco County at any time to enforce the provisions of the contract shall not be construed as a waiver of any such provisions. Such failure to enforce shall not affect the validity of the contract or any part thereof or the right of Pasco County to enforce any provision at any time in accordance with its terms.

FAIR LABOR STANDARDS

By submission of a bid, the bidder certifies that the contractor(s) and/or subcontractor(s) providing product(s) or service(s) shall, in the execution or performance of such a contract, maintain fair labor standards as defined in applicable State and Federal regulations.

FORCE MAJEURE

The contractor shall not be held responsible for failure to perform the duties and responsibilities imposed by the contract due to legal strikes, fires, riots, rebellions, and acts of God beyond the control of the contractor, unless otherwise specified in the contract.

IDENTICAL BIDS

Identical bids or bids which otherwise appear suspicious will be reported to the County Attorney for investigation.

INDEMNIFICATION

In consideration of the sum of Fifteen and 00/100 Dollars (\$15.00), the receipt and sufficiency of which is acknowledged by the contractor to be included and paid for in the contract price, the contractor shall indemnify, defend, and hold harmless Pasco County and its agents and employees from and against all liabilities, claims, damages, losses, and expenses, including attorneys' fees, arising out of or resulting from the performance of the work, provided that any such liability, claim, damage, loss, or expense: 1) is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the work itself), including the loss of use resulting therefrom; and 2) is caused in whole or in part by any negligent act or omission of the contractor and subcontractor, anyone directly or indirectly employed by any of them, or anyone for whose acts any of them may be liable, except for those caused by the negligent act or omission of Pasco County.

In any and all claims against Pasco County or any of its agents or employees by any employee of the contractor, any subcontractor, anyone directly or indirectly employed by any of them, or anyone for whose acts any of them may be liable, the indemnification obligation under the previous paragraph shall not be limited in any way as to the amount or type of damages, compensation, or benefits payable by or for the contractor or any subcontractor under Workers' Compensation Acts, disability benefit acts, or other employee benefit acts.

INDEPENDENT CONTRACTOR

The contractor shall be legally considered an independent contractor and neither the contractor nor its employees shall, under any circumstances, be considered servants or agents of Pasco County; and Pasco County shall be at no time legally responsible for any negligence or other wrongdoing by the contractor, its servants, or agents. Pasco County shall not withhold from the contractor any Federal or State unemployment taxes, Federal or State income taxes, Social Security tax, or any other amounts for benefits to the contractor. Further, Pasco County shall not provide to the contractor any insurance coverage or other benefits, including workers' compensation, normally provided by Pasco County for its employees.

INFORMALITIES AND IRREGULARITIES

Pasco County has the right to waive minor defects or variations of a bid from the exact requirements of the specifications that do not affect the price, quality, quantity, delivery, or performance time of the services being procured. If insufficient information is submitted by a bidder with the bid for Pasco County to properly evaluate the bid, Pasco County has the right to require such additional information as it may deem necessary after the time set for receipt of bids, provided that the information requested does not change the price, quality, quantity, delivery, or performance time of the services being procured. The BCC reserves the right to reject any or all bids in whole or in part; to award by any item, group(s) of items, total bid, or accept the bid that is most advantageous and in the best interest of Pasco County.

LIMITATION OF COST

The contractor agrees to perform the work specified and complete all obligations under the contract within the stated amounts.

NONAPPROPRIATION

All funds for payment by Pasco County under this contract are subject to the availability of an annual appropriation for this purpose by Pasco County. In the event of nonappropriation of funds by Pasco County for the services provided under the contract, Pasco County will terminate the contract, without termination charge or other liability, on the last day of the then-current fiscal year or when the appropriation made for the then-current year for the services covered by this contract is spent, whichever event occurs first. If at any time funds are not appropriated for the continuance of this contract, cancellation shall be accepted by the contractor on thirty (30) days' prior written notice, but failure to give such notice shall be of no effect, and Pasco County shall not be obligated under this contract beyond the date of termination.

NONCONFORMING TERMS AND CONDITIONS

A bid response that includes terms and conditions that do not conform to the terms and conditions in the bid document is subject to rejection as nonresponsive. Pasco County reserves the right to permit the bidder to withdraw nonconforming terms and conditions from its bid response prior to a determination by Pasco County of nonresponsiveness based on the submission of nonconforming terms and conditions.

NONDISCRIMINATION

By submission of bid, the bidder certifies that the contractor(s) and/or subcontractor(s) providing product(s) or service(s) shall not discriminate against any employee or applicant for employment, to be employed in the performance of such contract, with respect to his/her hire, tenure, terms, conditions, or privileges of employment, because of his/her race, color, religion, sex, disability, or national origin, as outlined in applicable State and Federal regulations.

ORAL STATEMENTS

No oral statement of any person shall modify or otherwise affect the terms, conditions, or specifications stated in this contract. All modifications to the contract or purchase order must be made in writing by Pasco County.

PATENTS AND ROYALTIES

The contractor covenants to save, defend, keep harmless, and indemnify Pasco County and all of its officers, departments, agencies, agents, and employees from and against all claims, loss, damage, injury, fines, penalties, and cost—including court costs and attorney's fees, charges, liability, and exposure, however caused—for or on account of any copyright or patented or unpatented invention, process, or article manufactured or used in the performance of the contract, including its use by Pasco County. If the contractor uses any design, device, or materials covered by patent or copyright, it is mutually agreed and understood without exception that the contract price includes all royalties or costs arising from the use of such design, device, or materials in any way in the work.

PAYMENT PROCEDURES

The BCC has adopted Resolution No. 95-70, incorporating its Invoice Payment Procedures Policy in order to help ensure that vendors providing goods and/or services to the BCC receive payment in a timely manner and in accordance with Chapter 218, Part VII, Florida Statutes (The Florida Prompt Payment Act). A copy of Resolution No. 95-70 (which includes the policy) is available for viewing during normal business hours at the Office of the Pasco County Clerk of the Circuit Court; 38053 Live Oak Avenue; Department of Secretarial Services, Room 205; Dade City, Florida 33525. Copies of the Resolution may be obtained at a cost of One and 20/100 Dollars (\$1.20). Please make your check payable to Jed Pittman, Clerk of the Circuit Court, and forward payment to the Department of Secretarial Services at the address noted above. For further information, please call (352) 521-4347.

Several payment options are available to successful vendor, upon receipt of a correct invoice:

- 1. Check may be mailed to the remit address on the invoice. The check is sent to the Post Office the day after BCC approval.
- 2. Check may be picked up in Dade City. The vendor must pick up the check the day after BCC approval. The successful bidder or contractor must call (352) 521-4599 for detailed instructions.
- 3. Payment may be wire-transferred to the vendor's bank account. The vendor must call (352) 521-4599 for detailed instructions.

PAYMENT TERMS AND DISCOUNTS

Unless otherwise indicated in the bid documents, payment terms will be net forty-five (45) days. Terms not consistent with this provision are not acceptable and may be cause for rejection. Pasco County will pay the contractor within forty-five (45) days after the receipt of a correct invoice for reasonable work allocable to the contract or after the date of acceptance of work that

meets contract requirements, whichever event occurs later. Payment(s) are considered effective on the date payment is mailed.

Discounts for prompt payment requiring payment by Pasco County within a stipulated number of days will be interpreted as applying within the stipulated number of calendar days after the date of receipt by Pasco County of a correct invoice describing reasonable work allocable to the contract or after the date of acceptance of work that meets contract requirements, whichever event occurs later. Discounts for payment in less than forty-five (45) days will not be considered during evaluation for award, but may be taken if applicable after award.

Payment for construction services will be in accordance with Chapter 218, Part VII, Florida Statutes (The Florida Prompt Payment Act).

PROCUREMENT REGULATIONS

A copy of the Pasco County Procurement Ordinance is available for review at Pasco County Purchasing Department, 8919 Government Drive, New Port Richey, Florida.

PUBLIC INFORMATION

Upon public opening of all bids or proposals presented to Pasco County as a result of this solicitation, any and all information contained therein is considered public and may be reviewed by any persons interested in doing so.

PURCHASE ORDER REQUIREMENT

Purchases of Pasco County are authorized only if a signed purchase order issued in advance of the transaction, showing that the ordering agency has sufficient funds available to pay for the service. Contractors providing services without a signed purchase order do so at their own risk. Pasco County will not be liable for payment for any services provided under the contract unless a valid purchase order has been issued to the contractor.

QUALIFICATIONS OF BIDDERS

The bidder may be required before the award of any contract to show to the complete satisfaction of Pasco County that it has the necessary facilities, ability, and financial resources to provide the service specified therein in a satisfactory manner. The bidder may also be required to give a past history and references in order to satisfy Pasco County in regard to the bidder's qualifications. Pasco County may make reasonable investigations deemed necessary and proper to determine the ability of the bidder to perform the work, and the bidder shall furnish to Pasco County all information for this purpose that may be requested. Pasco County reserves the right to reject any bid if the evidence submitted by, or investigation of, the bidder fails to satisfy Pasco County that the bidder is properly qualified to carry out the obligations of the contract and to complete the work described therein. Evaluation of the bidder's qualifications shall include:

- 1. The ability, capacity, skill, and financial resources to perform the work or provide the service required.
- 2. The ability of the bidder to perform the work or provide the service promptly or within the time specified, without delay or interference.
- 3. The character, integrity, reputation, judgment, experience, and efficiency of the bidder.
- 4. The quality of performance of previous contracts or services.

QUALITY OF GOODS

All goods shall be new, in first class condition, and of the manufacturer's latest design of the model presently in production. All materials, supplies, and equipment furnished or services performed under the terms of this purchase order or contractual agreement shall comply with the requirements and standards specified in the Williams-Steiger Occupational Safety and Health Act of 1970 (Public Law 91-596), as well as other applicable Federal, State, and local codes. Equipment and materials furnished by the bidder having serious defects, corrosion, or scratches which tend to present an "other than new" appearance shall be promptly replaced or such defects promptly corrected by the bidder at no cost to Pasco County. Any existing Material Safety Data Sheets (MSDS) for the products, materials, supplies, or equipment being bid must be submitted with the bid. No product containing asbestos, lead paint, or polychlorinated biphenyl (PCB) in any form will be considered for award by Pasco County.

RECOVERY OF MONEY

Whenever, under the contract, any sum of money shall be recoverable from or payable by the contractor to Pasco County, the same amount may be deducted from any sum due the contractor under the contract or under any other contract between the contractor and Pasco County. The rights of Pasco County are in addition and without prejudice to any other right Pasco County may have to claim the amount of any loss or damage suffered by Pasco County on account of the acts or omissions of the contractor.

RIGHT TO AUDIT

The contractor shall maintain such financial records and other records as they relate to the purchase of goods and/or services by Pasco County from the subject vendor. The contractor shall retain these records for a period of three (3) years after final payment, or until they are audited by Pasco County, whichever event occurs first. These records shall be made available during the term of the contract and the subsequent three (3) year period for examination, transcription, and audit by Pasco County, its designees, or other authorized bodies.

RISK OF LOSS

Pasco County shall be relieved from all risks of loss or damage to goods during periods of transportation, manufacture, and the entire time the goods are in the possession of Pasco County prior to acceptance by Pasco County. At such time, the risk of loss or damage for goods shall pass to Pasco County. The bidder/contractor shall not be responsible for damage to the goods occasioned by negligence of Pasco County or its employees.

TABULATIONS

Solicitation results, plan holder lists, and related information may be retrieved from our website: www.PascoCountyFL.net. Click on "Bids," click on "closed solicitations," and look for the solicitation number in the appropriate year. Solicitation results will normally be available online within three (3) working days after opening. Lengthy tabulations may not be available online, but may be viewed in the Purchasing Department. Plan holder lists will normally be available two (2) weeks prior to opening. Plan holder lists will be posted once, based on the information at the time, and will not be updated. Tabulations will not be given over the telephone or via fax.

TAXES

All bids shall be submitted exclusive of direct Federal, State, and local taxes; however, if the bidder believes certain taxes are properly payable, he/she may list such taxes separately in each case directly below the respective item bid price. Prices quoted must be in units specified, and shall not include the cost of any such taxes, including those on any material, supplies, or equipment used or installed in the work. Pasco County does not pay Federal Excise and Sales

Taxes on direct purchases of tangible personal property. See Exemption Number on face of the resulting purchase order. This exemption does not apply to purchases of tangible personal property made by contractors who use the tangible personal property in the performance of contracts for improvement of County-owned real property. Please refer to Chapter 192, Florida Statutes.

UNSATISFACTORY WORK

If, at any time during the contract term, the service performed or work done by the contractor is considered by Pasco County to create a condition that threatens the health, safety, or welfare of the community, the contractor shall, on being notified by Pasco County, immediately correct such deficient service or work. In the event the contractor fails, after notice, to correct the deficient service or work immediately, Pasco County shall have the right to order the correction of the deficiency by separate contract or with its own resources at the expense of the contractor. Notwithstanding the above, Pasco County reserves the right to cancel a resulting contract, without cause, by giving thirty (30) days' prior written notice to the contractor of the intention to cancel.

END OF GENERAL PROVISIONS

SPECIAL PROVISIONS

In addition to the General Provisions of this solicitation, these Special Provisions, along with the specifications that follow, apply in like force to this solicitation and to any subsequent contract resulting therefrom.

TRANSPORTATION AND PACKING

Prices quoted shall be net, including transportation and delivery charges fully prepaid by the seller, f.o.b. Land O' Lakes, Florida 34639. No additional charges will be allowed for packing, packages, or partial delivery costs. By submitting their bids, all bidders certify and warrant that the price offered for f.o.b. destination includes only the actual freight rate costs at the lowest and best rate and is based upon actual weight of the goods to be shipped. Standard commercial packaging, packing, and shipping containers shall be used, except as otherwise specified herein.

END OF SPECIAL PROVISIONS

AIR-COOLED CONDENSING UNITS SPECIFICATIONS

PART 1 - GENERAL

1.0	PART 1 - GENERAL
1.1	Section Includes:
1.1.1	Condensing Unit Package.
1.1.2	Controls and Control Connections.
1.1.3	Refrigerant Piping Connections.
1.1.4	Motor Starters.
1.1.5	Electrical Power Connections.
1.2	References:
1.2.1	ANSI/ASHRAE 5 - Safety Code for Mechanical Refrigeration.
1.2.2	ANSI/ASHRAE 90A - Energy Conservation in New Building Design.
1.2.3	ANSI/NEMA MG I - Motors and Generators.
1.2.4	ANSITUL 207 - Refrigerant-Containing Components and Accessories, Nonelectrical.
1.2.5	ANSDUL 303 - Refrigeration and Air Conditioning Condensing, and Air-Source Heat Pump Equipment.
1.2.6	ANSI/UL 465 - Central Cooling Air Conditioners.
1.2.7	ARI 210/240 - Unitary Air Conditioning and Air-Source Heat Pump Equipment.
1.2.8	ARI 520 - Positive Displacement Refrigerant Compressors, Compressor Units, and Condensing Units.
1.2.9	ASHRAE 14 - Methods of Testing for Rating Positive Displacement Condensing Units.
1.2.10	ARI 270 - Sound Rating of Outdoor Unitary Equipment.

1.3 **Submittals**:

- 1.3.1 Submit shop drawings.
- 1.3.2 Submit shop drawings indicating components, assembly, dimensions, weights and loadings, required clearances, and location and size of field connections. Include schematic layouts showing condensing units, cooling coils, refrigerant piping, and accessories required for complete system (not required until five (5) days after award of bid).
- 1.3.3 Submit product data.
- 1.3.4 Submit product data indicating rated capacities, weights specialties and accessories, electrical nameplate data, and wiring diagrams.
- 1.3.5 Submit design data.
- 1.3.6 Submit design data indicating pipe and equipment sizing.
- 1.3.7 Submit manufacturer's installation instructions.

1.4 Operation and Maintenance Data:

- 1.4.1 Submit operation and maintenance data.
- 1.4.2 Include start-up instructions, maintenance instructions, parts lists, controls, and accessories.

1.5 **Delivery, Storage, and Handling:**

- 1.5.1 As part of the requirements, the manufacturer of the equipment herein specified shall deliver to the job site, ready for installation, within four (4) weeks of receiving the purchase order.
- 1.5.2 Deliver, store, and protect the products under provisions of Special Conditions.
- 1.5.3 Comply with the manufacturer's installation instructions for rigging, unloading, and transporting units.
- 1.5.4 Protect the units on site from physical damage. Protect the coils.
- 1.6 **Warranty:**
- 1.6.1 Provide one (1) year parts and labor warranty.
- 1.6.2 Warranty: Include a five (5) year warranty for refrigerant compressors.

2.0 PART 2 - PRODUCTS

2.1 Acceptable Manufacturers:

- 2.1.1 Basis of Design Trane
- 2.1.2 Preapproved substitutes (approved to bid)
 - 2.1.2.1. York.
 - 2.1.2.2. Carrier.

2.2 Manufactured Unit:

- 2.2.1 Unit: Self-contained, packaged, factory-assembled, and prewired units suitable for outdoor use consisting of cabinet, compressors, condensing coil and fans, integral sub-cooling coil, suction pressure capacity control, controls, liquid receiver, screens, etc.
- 2.2.2 Construction and Ratings: In accordance with ARI 210/240, ANSIIUL 207, and ANSI/UL 303. Testing shall be in accordance with ASURAE 14.
- 2.2.3 Performance Ratings: Energy Efficiency Rating (EER) not less than prescribed by ANSFASHRAE 90A.

2.3 Casing:

- 2.3.1 House components in welded steel frame with zinc-coated galvanized steel panels with phosphatized, coated with an epoxy resin primer, and finished with an enamel finish.
- 2.3.2 Mount starters, disconnects, and controls in weatherproof panel provided with full-opening access doors. Provide mechanical interlock to disconnect the power when the door is opened.
- 2.3.3 Provide removable access doors or panels.

2.4 Condenser Coils:

- 2.4.1 Coils: Aluminum fins mechanically bonded to seamless copper tubing. Provide subcooling circuits. Air test under water to 425 psig, and vacuum dehydrate. Seal with holding charge of nitrogen. Aluminum tubes with aluminum fins equal to Trane's spine fin design are acceptable.
- 2.4.2 Coil Guard: PVC coat steel wire.

2.5 Fans And Motors:

2.5.1 Vertical discharge direct-driven propeller-type condenser fans with fan guard on discharge. Equip with roller or ball bearings with grease fittings extended to outside of the casing.

- 2.5.2 Weatherproof the motors suitable for outdoor use; single-phase permanent split capacitor or three (3) phase with permanent lubricated ball bearings and built-in thermal overload and over-current protection.
- 2.5.3 Motors as indicated.

2.6 **Compressors:**

- 2.6.1 Construction: Serviceable hermetic or semi-hermetic reciprocating type with external spring insulators, heat-treated forged steel or cast iron shafts, aluminum alloy connecting rods, automotive-type pistons, rings to prevent gas leakage, suction and discharge valves, and scaling surface immersed in oil.
- 2.6.2 Mounting: Statically and dynamically balance rotating parts and mount on rubber-inshear vibration isolators.
- 2.6.3 Motor: Constant speed of 3,600 rpm, suction gas cooled with electronic sensor and winding-over-temperature protection, designed for across-the-line starting. Furnish with starter and motor over-current protection and thermal overloads.
- 2.6.4 Crankcase Heater: Evaporates refrigerant returning to the crankcase during shut down. Energize the heater thermostatically.

2.7 **Refrigerant Circuit:**

- 2.7.1 Provide each unit with single independent refrigerant circuits, factory-supplied and piped.
- 2.7.2 Provide the following for each refrigerant circuit:
 - 2.7.2.1. Filter dryer replaceable core type.
 - 2.7.2.2. Liquid line sight glass and moisture indicator.
 - 2.7.2.3. Thermal expansion valve for maximum operating pressure.
 - 2.7.2.4. Insulated suction line.
 - 2.7.2.5. Suction and liquid line service valves and gage ports.
 - 2.7.2.6. Liquid line solenoid valve.
 - 2.7.2.7. Charging valve.
 - 2.7.2.8. Discharge line check valve.
 - 2.7.2.9. Compressor discharge service valve.
 - 2.7.2.10. Condenser pressure relief valve.

2.7.2.11. Refrigerant specialties can be field-supplied and piped, as required. The installing contractor shall coordinate the piping requirements with the manufacturer.

2.8 **Controls**:

- 2.8.1 Controls: The unit shall be completely factory wired with the necessary controls and contactor pressure lugs or terminal block for power wiring. The control wiring shall be twenty-four (24) volt control circuit which includes fusing and control transformer. The units shall provide external location for mounting a fused-disconnect device. Time delay timers to prevent compressors in dual compressor units from simultaneous start-up and anti-recycle timers are available as optional accessories.
- 2.8.2 Defrost Controls: Electronic timed initiated, temperature terminated defrost system with choice of fifty (50), seventy (70), or ninety (90) minute cycle. Timed override limits defrost cycle to ten (10) minutes.
- 2.8.3 Low Ambient Operation: Standard units shall start and operate to approximately thirty-five (35) degrees Fahrenheit when matched with Trane air handlers and coils. Optional head pressure control accessory permits operation to zero (0) degrees Fahrenheit.
- 2.8.4 Anti-Short Cycle Timer: Shall prevent rapid on-off compressor cycling in light load conditions by not allowing the compressor to operate for five (5) to seven (7) minutes upon shutdown. Shall consist of a solid state timing device, twenty-four (24) volt, sixty (60) cycle with either five (5) or seven (7) minute fixed-off timing period.

SPLIT-SYSTEM AIR HANDLER (TWE) SPECIFICATIONS

PART 1 - GENERAL

1.0	PART 1 - GENERAL		
1.1	Section Includes:		
	Air Handing Units.		
1.2	Reference:		
	ANSI/NFPA 70 - National Electrical Code.		
1.3	Submittals:		
1.3.1	Submit shop drawings.		
1.3.2	Submit shop drawings indicating components, assembly, dimensions, weights and loadings, required clearances, and location and size of field connections. Include schematic layouts showing condensing units, cooling coils, refrigerant piping, and accessories required for complete system (not required until five (5) days after award of bid).		
1.3.3	Submit product data.		
1.3.4	Submit product data indicating rated capacities, weights specialties and accessories, electrical nameplate data, and wiring diagrams.		
1.3.5	Submit design data.		
1.3.6	Submit design data indicating pipe and equipment sizing.		
1.3.7	Submit manufacturer's installation instructions.		
1.4	Operation and Maintenance Data:		
1.4.1	Submit operation and maintenance data.		
1.4.2	Include start-up instructions, maintenance instructions, parts lists, controls, and accessories.		

1.5 **Delivery, Storage, and Handling:**

- 1.5.1 As part of the requirements, the manufacturer of the equipment herein specified shall deliver to the job site, ready for installation, within four (4) weeks of receiving the purchase order.
- 1.5.2 Deliver, store, and protect the products under provisions of Special Conditions.
- 1.5.3 Comply with the manufacturer's installation instructions for rigging, unloading, and transporting units.
- 1.5.4 Protect the units on site from physical damage. Protect the coils.
- 1.6 **Warranty:**

Provide one (1) year parts and labor warranty.

2.0 PART 2 - PRODUCTS

2.1 Acceptable Manufacturers:

- 2.1.1 Basis of Design Trane.
- 2.1.2 Preapproved substitutes (approved to bid).

York.

2.2 Fan Coil Units:

2.2.1 Performance Data:

- 2.2.1.1. Unit capacities shall be certified with Air Conditioning and Refrigeration Institute Standard 210.
- 2.2.1.2. Units shall be listed with Underwriters Laboratory, UL Standard for indoor blower coil units.

2.2.2 General:

Air handler units shall be completely factory assembled including coil, condensate drain pan, fan motor(s), filters, and controls in an insulated casing that can be applied in either vertical or horizontal configuration. The units shall be rated and tested in accordance with ARI Standards 210, 240, 360. The units shall be UL listed and labeled in accordance with UL 465/1995 for indoor blower coil units. All units shall be CSA-certified for Canadian application.

2.2.3 Cabinet:

Unit casing shall be constructed of zinc- coated, heavy-gauge, galvanized steel. The exterior surface shall be cleaned, phosphatized, and finished with a weather-resistant baked-enamel finish. The casing shall be completely insulated with

cleanable, foil-faced, fire-retardant, permanent, odorless glass-fiber material. All insulation edges shall be either captured or sealed. The knockouts shall be provided for unit electrical power and refrigerant piping connections. The captive screws shall be standard on all access panels.

2.2.4 Coils:

Configured aluminum fin surface shall be mechanically bonded to $^3/_8$ " internally enhanced copper tubing and factory pressure and leak tested at 375 psig. The coil is arranged for draw-through airflow and shall provide a double-sloped condensate drain pan constructed of PVC plastic. The drain pan shall be removable for cleaning. The condensate drain pan can be installed in any of four(4) positions allowing for vertical or horizontal application and providing external connections on either side of the unit.

2.2.5 Filters:

- 2.2.5.1. Refer to schedule for type.
- 2.2.5.2. Provide two (2) spare sets with unit (total of three [3] sets).

2.2.6 Fans:

Double-inlet, double-width, forward-curved, centrifugal-type fan(s) with adjustable belt drive shall be standard. The thermal overload protection shall be standard on the motor. The fan and motor bearings shall be permanently lubricated. The oversized motors shall be available as an option for high-static application.

2.2.7 Motors:

All motors shall be resilient-mounted, three (3) speed, with UL listed thermal overload protection. The motor bearings shall be of the sleeve type or ball bearing type with oversized oil reservoirs. The motors shall be permanent split capacitor. The shaded pole motor will not be acceptable. The electrical junction boxes shall be provided for single-point power connection.

2.2.8 Controls:

Magnetic evaporator fan contactor, low voltage terminal strip, check valve(s), and single-point power entry shall be included. All necessary controls shall be factory-installed and wired. The evaporator defrost control shall be included to prevent compressor slugging by temporarily interrupting the compressor operation when low evaporator coil temperatures are encountered.

2.3 Electric Heaters:

UL- and CSA-approved electric heat modules shall be available for installation directly on fan discharge. The electric heaters shall be available in a wide range of capacities with one (1) or two (2) stage control, single-point electric power connection and terminal strip connections. The electric heater elements shall be constructed of heavy-duty nickel chromium elements internally wired, connected on

480/600 volt, three (3) phase; and delta-connected on 208/240 volt, three (3) phase. Each 208/240 volt heater shall have pilot duty with secondary backup fuse links for automatic reset of high limit controls. Each 480/600 volt heater shall have automatic line-break, high-limit controls.

MANUFACTURER	AIR HANDLING UNIT DATA					
MANUFACTURER	MARK		1	AHA	AU 7:0	
MODEL NUMBER TWE 260 TWE 240	MANUFACTURER			-		
STAL COOLING CAPACITY	MODEL NUMBER			S CONTRACTOR OF THE CONTRACTOR		
SENSBLE COOLING CAPACITY	TOTAL COOLING CAPACITY		MDH		550,000,000	
SUPPLYAR QUANTITY	SENSIBLE COOLING CAPACITY			10000		
CUTSIDE AR QUANTITY RETRIN AR QUANTITY SUPPLYMOTOR SIZE EXHAUST MOTOR SIZE EXHAUST MOTOR SIZE EXHAUST MOTOR SIZE EXHAUST MOTOR SIZE SUPPLYAR EXT. STATIC PRESS. DROP N. H2O O.55 O.85 SUPPLYAR EXT. STATIC PRESS. DROP RETURN AR EXT. STATIC PRESS. DROP RETURN AR EXT. STATIC PRESS. DROP RETURN AR EXT. STATIC PRESS. DROP R. H2O SEER. RETURN AR EXT. STATIC PRESS. DROP R. H2O O.55 O.85 EXHAUST AREXT. STATIC PRESS. DROP R. H2O O.55 O.85 EXHAUST AREXT. STATIC PRESS. DROP R. H2O O. 0.35 O.45 EXHAUST AREXT. STATIC PRESS. DROP R. H2O O. 13 10 ENTERNO AR TEMP. DB.WB. FIF O. 13 10 ENTERNO AR TEMP. DB.WB. FIF SBR54.8 FIF SBR54.8 FIF O. 17 PLEATED WEIGHT LBS. 800 1200 MN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 Z1.0 CONDENSING UNIT DATA MARK O. U.B. CU-7,8 MANUFACTURER MODEL NUMBER C. TRANE TRANE TRANE TRANE TRANE TRANE TRANE TRANE TRANE OUTDOOR TEMPERATURE F 95 95 ELECTRCAL CHARACTERISTICS VIPH.HZ Z08/360 Z08/360 MN. CKT. AMPS NOTES NOTES OPPOWIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE SCHOES OF THE KEY TO OWNER; AUTO CHANGEOVER TO COOLING AND HEATING MODE; REJOIT FROM TIMEPERATURE SENSOR. PROVIDE WITH LIGHT AND HEATING MODE; REJOIT FROM TIMEPERATURE SENSOR. PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. ③PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. ③PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. ③PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. ③PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. ③PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. ③PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE	SUPPLY AIR QUANTITY		-77975			
RETRUNAR QUANTITY SUPPLYMOTOR SIZE EXHAUST MOTOR SIZE SUPPLYAREXT, STATIC PRESS, DROP QUIDOOR AREXT, STATIC PRESS, DROP RETURN AREXT, STATIC PRESS, DROP RETURN AREXT, STATIC PRESS, DROP RETURN AREXT, STATIC PRESS, DROP EXHAUST AREXT, STATIC PRESS, DROP R. H2O SEER. R. H2O SEER. RETURN AREXT, STATIC PRESS, DROP EXHAUST AREXT, STATIC PRESS, DROP R. H2O SEER. RETURN AREXT, STATIC PRESS, DROP R. H2O SEER. R. H2D SEER. R.	OUTSIDE AIR QUANTITY				47.55	
SUPPLYMOTOR SIZE EXHAUST MOTOR SIZE SUPPLYAR EXT. STATIC PRESS. DROP N. HZO O.55 O.85 OUTDOOR AR EXT. STATIC PRESS. DROP RETURN AR EXT. STATIC PRESS. DROP N. HZO EXHAUST AR EXT. STATIC PRESS. DROP N. HZO N. HZO SEER. ENTERNG AR TEMP. DB.WB. LEAVING AR TEMP. DB.WB. F/F TS.7/84 T684.8 FAFE FOR TO TS.7/84 RETURN AR TEMP. DB.WB. FFF S8/54.8 FAFE FOR TO TS.7/84 RETURN AR TEMP. DB.WB. FFF S8/54.8 FAFE CONDENSING UNIT DATA MARK MANUFACTURER MODEL NUMBER MODEL NUMBER MODEL NUMBER NUMBER OF COMPRESSORS NUMBER OF COMPRE	RETRUN AIR QUANTITY			195	650	
EXHAUST MOTOR SIZE SUPPLYAR EXT. STATIC PRESS. DROP N. HZO	SUPPLYMOTOR SIZE		351.00	0.75		
SUPPLYAREXT. STATIC PRESS. DROP N. H2O OTDOOR ARE EXT. STATIC PRESS. DROP N. H2O RETURN ARE EXT. STATIC PRESS. DROP N. H2O N. H2O OTDOOR ARE EXT. STATIC PRESS. DROP N. H2O RETURN ARE EXT. STATIC PRESS. DROP N. H2O RETURN ARE EXT. STATIC PRESS. DROP N. H2O RETURN ARE EXT. STATIC PRESS. DROP N. H2O OTDOOR OTDO	EXHAUST MOTOR SIZE		rir	0.75		
OUTDOOR AR EXT. STATIC PRESS. DROP RETURNAR EXT. STATIC PRESS. DROP RETURNAR EXT. STATIC PRESS. DROP N. H2O N. H2O N. H2O N. H2O N. H2O RETURNAR EXT. STATIC PRESS. DROP N. H2O N. H	SUPPLYAIR EXT. STATIC PRESS, DROP		AL LIDO			
RETURN AR EXT. STATIC PRESS, DROP N. H2O SERHAUST AIR EXT. STATIC PRESS, DROP N. H2O LECTRICAL CHARACTERISTICS V/PH/HZ 208/3/60 208/3/60 SEE.R. - 13 10 ENTERNO AR TEMP, DB./WB. F/F 75.7/64 76/64.6 LEAVING AR TEMP, DB./WB. F/F S8/54.8 57/54 RETURN AR TEMP, DB./WB. F/F FLITER TYPE - 1* PLEATED WEIGHT LBS. 800 1200 TMN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 21.0 CONDENSING UNIT DATA MARK - CU-8 MANUFACTURER MODEL NUMBER MODEL NUMBER NUMBER OF COMPRESSORS 1 2 OUTDOOR TEMPERATURE F 85 95 ELECTRICAL CHARACTERISTICS V/PH./HZ 208/3/60 208/3/60 MN. CKT. AMPS - 23.0 87.8 NOTES NOTES PROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 CONES OF THE KEY TO OWNER); AUTO CHANCEOVER TO SHUTT DOWN LED OF AIR HANDLER VIA AUXILIARY. CONTACT IN DOWN PROVIDE OF WAITE. 3PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3PROVIDE SMOKE DETECTOR IN SUPPLY DUICT. CONTROL THERMOSTAT SHUT DUINN LED OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT DETECTOR. OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUICT. CONTROL THERMOSTAT SHIT DUICT. CONTROL T	OUTDOOR AR EXT. STATIC PRESS, DROP		5,000,000	0.000	0.85	
EXHAUST AIR EXT. STATIC PRESS, DROP IN. H2O ELECTRICAL CHARACTERISTICS V/PH/HZ 208/3/60 S.E.E.R. - 13 10 ENTERNO AIR TEMP, DB.AWB. F/F 75.7/64 76/64.6 LEAVING AIR TEMP, DB.AWB. F/F FIF 58/64.8 57/54 RETURN AIR TEMP, DB.AWB. F/F FLITER TYPE - 1* PLEATED 2* PLEATED WEIGHT LBS. 800 1200 MN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 21.0 CONDENSING UNIT DATA MARK - CU-6 CONDENSING UNIT DATA MARK - CU-6 MNUFACTURER MODEL NUMBER - 2TTA3060 TTA440B3 NUMBER OF COMPRESSORS 1 2 OUTDOOR TEMPERATURE F 85 95 ELECTRICAL CHARACTERISTICS V/PH.AHZ 208/3/60 208/3/60 MN. CKT. AMPS - 23.0 87.8 NOTES - 12.3, 4, 5, 1, 2, 3, 4, 5 - PROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROWIDE 5 CORDES OF THE KEY TO OMNER); AUTO CHANCEOVER TO COOLING AND HEATING MODE. REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH JUICIT CONTROL THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH JUICIT CONTROL THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH JUICIT CONTROL THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3PROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LED OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETEC					*	
ELECTRICAL CHARACTERISTICS VIPHAIZ 208/3/60 208/3/60 208/3/60 208/3/60 208/3/60 208/3/60 208/3/60 ENTERING AR TEMP. DB./WB. F/F 75 7/64 76 64.6 ELEAVING AIR TEMP. DB./WB. F/F 58 64.8 57/54 RETURN AIR TEMP. DB./WB. F/F			237.0	100	0.45	
SEER. 13 10 ENTERING AIR TEMP. DB./WB. F./F 75.7/64 76/64.6 LEAVING AIR TEMP. DB./WB. F./F 58/64.8 57/54 RETURN AIR TEMP. DB./WB. F./F 58/64.8 57/54 RETURN AIR TEMP. DB./WB. F./F 1° PLEATED WEIGHT LBS. 800 1200 MIN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 21.0 CONDENSING UNIT DATA MARK - CU-6 CU-7-8 MANUFACTURER - TRANE TRANE MODEL NUMBER MODEL	The property of the control of the c		10000		-	
ENTERING AIR TEMP. DB./WB. LEAVING AIR TEMP. DB./WB. LEAVING AIR TEMP. DB./WB. RETURN AIR TEMP. DB./WB. FIF. S8/54.8 57/54 RETURN AIR TEMP. DB./WB. FIF. S8/54.8 57/54 RETURN AIR TEMP. DB./WB. FIF. S8/54.8 57/54 FLITER TYPE	And the state of t		V/PH/HZ	-		
LEAVING ART TEMP. DB JWB. RETURN ART TEMP. DB JWB. FIF. S8/54.8 57/54 RETURN ART TEMP. DB JWB. FIF. - 1* PLEATED WEIGHT LBS. 800 1200 MIN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 21.0 CONDENSING UNIT DATA MARK - CL-6 CU-7.8 MANUFACTURER MANUFACTURER - TRANE TRANE MODEL NUMBER - 2TTA3060 TTA240B3 NUMBER OF COMPRESSORS 1 2 OUTDOR TEMPERATURE F 95 95 ELECTRICAL CHARACTERISTICS WIPHARZ 208/3/60 208/3/60 MIN. CKT. AMPS NOTES - 23.0 87.8 NOTES - 12.3, 4, 5 1 2 OPROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COVIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COULING AND HEATING MODE. REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR. PROVIDE WITH AUXILIARY DRAW PAN WHICH EXTENDS 6" BEYOND PERMIETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT DOWN UPON PRESENCE OF WATER. 3 PROVIDE SINCE DETECTOR IN SUPPLY DUCT, CONTROL THERMOSTAT SHUT DOWN LEG OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR OF THE COURT OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR OF SINCE AND ALL WITH ALL SHUT DOWN IS A	TO THE PART OF THE		-	1 1 1		
RETURN AR TEMP. DB.AWB. FLETER TYPE WEIGHT LBS. 800 1200 MN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 21.0 CONDENSING UNIT DATA MARK - CU-B CU-7.8 MANUFACTURER MODEL NUMBER MODEL NUMBER - TRANE TRANE MODEL NUMBER - TRANE TRANE MODEL NUMBER - TRANE TRANE - TRANE TRANE MODEL NUMBER - TRANE TRANE - TRANE TRANE MODEL NUMBER - TRANE TRANE - TRANE TRANE TRANE TRANE MODEL NUMBER - TRANE TRANE - TRANE TRANE TRANE TRANE - TRANE TRANE TRANE - TRANE TRANE TRANE - TRANE TRANE TRANE - TRANE	CONTRACTOR		1000			
FILTER TYPE WEIGHT LBS. 800 1200 MIN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 21.0 CONDENSING UNIT DATA MARK - CU-6 CU-7.8 MANUFACTURER MODEL NUMBER MODEL NUMBER MODEL NUMBER MODEL NUMBER - 2TTA3060 TTA240B3 NUMBER OF COMPRESSORS UTDAY UTDAY UTDAY LECTRICAL CHARACTERISTICS WIPHAPZ LECTRICAL CHARACTERISTICS WIPHAPZ LOBISTICS WIPHAPZ LOBISTICS PROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COCUMO AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH AUTILARY ORAN PAN WHICH EXTENDS 6" BEYOND PERMIETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT PROVIDE WITH AUTILARY ORAN PAN WHICH EXTENDS 6" BEYOND PERMIETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. PROVIDE BOKED DETECTOR IN SUPPLY PULCT, CONTROL THERMOSTAT SHUT DAWN LEG OF AUR HANDLER VIA AUXILIARY. CONTROL IN DUCT DESIDED DUTCE DETECTOR OF SENDING AND ALL BELL WORN LEG OF AUR HANDLER VIA AUXILIARY. CONTROL IN DUCT DESIDER OF DETECTOR OF SENDING AND ALL BELL WORN LEG OF AUXILIARY. CONTRACT IN DUCT DESIDER OF DETECTOR OF SENDING AND ALL BELL WORN LEG OF AUXILIARY. CONTRACT IN DUCT DESIDER OF DETECTOR OF SENDING AND ALL BELL WORN LEG OF AUXILIARY. CONTRACT IN DUCT DETECTOR OF SENDING AND ALL BELL WORN ALL BELL WORN AND ALL BELL WERE OF AUXILIARY. CONTRACT IN DUCT DETECTOR OF SENDING AND ALL BELL WORN AND ALL			-	58/54.8	57/54	
WEIGHT LBS. 800 1200 MIN. ELECTRIC HEAT @ SCHEDULED VOLTAGE CONDENSING UNIT DATA MARK - CU-6 CU-7, 8 MANUFACTURER MODEL NUMBER MODEL NUMBER MODEL NUMBER - TRANE TRANE MODEL NUMBER - 2TTA3060 TTA240B3 NUMBER OF COMPRESSORS 0UTDOOR TEMPERATURE F 95 95 ELECTRICAL CHARACTERISTICS VIPH./HZ 208/360 206/360 MIN. CKT. AMPS - 23.0 87.8 TO WINCH, AMPS - 1, 2, 3, 4, 5 PROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH AUDILARY DRAIN PAIN WHICH EXTENDS 6" BEYOND PERMIETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT PROVIDE WITH AUDILARY ORAN PAIN WHICH EXTENDS 6" BEYOND PERMIETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT DOWN UPON PRESSINCE OF WATER. 3 PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3 PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3 PROVIDE SWITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3 PROVIDE SWITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE.			F/F			
MIN. ELECTRIC HEAT @ SCHEDULED VOLTAGE KW 11.3 21.0 CONDENSING UNIT DATA MARK - CLI-6 CU-7,-8 MANUFACTURER MANUFACTURER MODEL NUMBER - TRANE MODEL NUMBER - TRANE MODEL NUMBER - 2TTA3060 TTA24083 NUMBER OF COMPRESSORS 1 2 OUTDOOR TEMPERATURE F 85 95 ELECTRICAL CHARACTERISTICS V/PH./HZ 208/3/60 208/3/60 MIN. CKT. AMPS - 23.0 87.8 NOTES PROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH JUDIALIZARY DRAIN PAIN WHICH EXTENDS 6" BEYOND PERMIETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3) PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3) PROVIDE SENSOR DETECTOR IN SUPPLY POUCT, CONTROL THERMOSTAT SHUT DAWN LEG OF AUT HANDLER VAN AUXILIARY, CONTROL IN DUCT DESIGNED RECEITED. AUXILIARY SIND ALIBALIA PARKER TO AUXILIARY, CONTROL IN DUCT DESIGNED RECEITED. AUXILIARY SIND ALIBALIA PARKER TO AUXILIARY. CONTROL IN DUCT DESIGNED RECEITED. AUXILIARY SIND ALIBALIA PARKER TOWN AUXILIARY. CONTROL IN DUCT DESIGNED RECEITED. AUXILIARY SIND ALIBALIA PARKER TOWN AUXILIARY. CONTROL IN DUCT DESIGNED RECEITED. AUXILIARY SIND ALIBALIA.	Control Action		•			
CONDENSING UNIT DATA MARK - CU-6 CU-7,-8 MANUFACTURER - TRANE TRANE MODEL NUMBER MODEL NUMBER - 2TTA3060 TTA240B3 NUMBER OF COMPRESSORS - 2TTA3060 TTA240B3 NUMBER OF COMPRESSORS - 2TTA3060 TTA240B3 NUMBER OF COMPRESSORS - 1 2 DUTDOOR TEMPERATURE - 95 95 ELECTRICAL CHARACTERISTICS - 12, 24, 45 NOTES - 23.0 87,8 NOTES - 12, 24, 45 - 20, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80 - 23, 67, 80	Military Communication Communi		9107		10.00	
MARK MANUFACTURER			KW	11.3	21.0	
MANUFACTURER - CLF CU-7,8 MANUFACTURER - TRANE TRANE MODEL NUMBER - TRANE TRANE NUMBER OF COMPRESSORS OUTDOOR TEMPERATURE ELECTRICAL CHARACTERISTICS NOTES - 23.0 87.8 NOTES - 1, 2, 3, 4, 5 1, 2, 3, 4, 5 OPROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR. PROVIDE WITH AUXILIARY DRAW PAN WHICH EXTENDS 6" BETOND PERMINETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. SPROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LEG OF AUR HANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTOR OF STORY OF AURICH THANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTOR OF STORY OF AURICH TO AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTOR OF STORY OF AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTOR OF STORY OF AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTOR OF STORY OF AUXILIARY.	The state of the s					
MODEL NUMBER NUMBER OF COMPRESSORS OUTDOOR TEMPERATURE F 85 95 ELECTRICAL CHARACTERISTICS NOTES NOTES OPROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR. DOWN UPON PRESENCE OF WATER. OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. SPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. OPROVIDE SINGLE DETECTOR IN SUPPLY DUCT, CONTROL THERMOSTAT SHUT DOWN LEG OF AUR HANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTION OF STOTE AUXILIARY. AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTION OF STOTE AUXILIARY.	MANUFACTURER			100000		
NUMBER OF COMPRESSORS OUTDOOR TEMPERATURE ELECTRICAL CHARACTERISTICS NOTES OUTDOOR TEMPERATURE F 95 95 LECTRICAL CHARACTERISTICS V/PH./HZ 208/3/60 208/3/60 MN. CKT. AMPS NOTES OPROWDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROWDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR. DOWN UPON PRESENCE OF WATER. OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. SPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. OPROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LEG OF AIR HANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR, UNIT SHALL SHUT DOWN IS FOR THE PETCHON OFFS. TO MAKE AND AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IS FOR THE PETCHON OFFS. TO MAKE AND AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IS FOR THE PETCHON OFFS. TO MAKE AND AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IS FIRST DETECTOR OFFS. TO MAKE AND AUXILIARY. CONTACT IN DUCT DETECTOR.	HINNEY CONTROL OF THE PARTY OF		- 1			
OUTDOOR TEMPERATURE F 95 95				L-manner and a second		
ELECTRICAL CHARACTERISTICS V/PH.HZ 208/3/60 208/3/60 208/3/60 MN. CKT. AMPS NOTES OPROWDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROMDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR. PROVIDE WITH AUXILIARY DRAW PAN WHICH EXTENDS 6" BETOND PERMIETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3 PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. 3 PROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LEG OF AUR HANDLER VIA AUXILIARY. CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DICT DETECTOR OF STATUS ALL SHUT DOWN IS ALL SHUT DOWN.	NOT THE RESIDENCE OF THE PROPERTY OF THE PROPE			-		
MN.CKT.AMPS NOTES OPROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HEATING MODE; REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR. PROVIDE WITH AUXILIARY DRAW PAN WHICH EXTENDS 6" BETOND PERMETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. SPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. SPROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LEG OF AUR HANDLER VIA AUXILIARY. CONTROL IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DIVID THE PETCHON OFFS. STORY OF MARKET AND AUXILIARY. CONTROL IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DIVID THE PETCHON OFFS. STORY OF MARKET.	A CONTRACTOR OF THE PROPERTY O				95	
NOTES 23.0 87.8	Control of the Contro		V/PH./HZ	100000000000000000000000000000000000000	208/3/60	
OPROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKABLE SECURITY COVER ALL WITH THE SAME KEY (PROVIDE 5 COPIES OF THE KEY TO OWNER); AUTO CHANGEOVER TO COCCUING AND HEATING MODE, REMOTE THERMOSTAT SETPOINT; ROOM TEMPERATURE SENSOR, PROVIDE WITH AUXILIARY DRAIN PAN HRICH EXTENDS 6" BEYOND PERMITTER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT DOWN UPON PRESENCE OF WATER. OPROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. OPROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LEG OF AIR HADDER. VIA AUXILIARY, CONTACT IN DUCT DETECTOR, UNIT SHALL SHUT DOWN IF DICT DETECTOR OF STATE OF AIR HADDER. VIA AUXILIARY, CONTACT IN	Transport Company Company			23.0	87.8	
PROVIDE WITH AUXILIARY DRAIN PAN WHICH EXTENDS 6" BEYOND PERIMETER OF UNIT ALL AROUND, INCLUDE FLOAT SWITCH TO SHUT DOWN UPON PRESENCE OF WATER. ②PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SHALL BE LOCKED OUT IN HEATING MODE. ③PROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LEG OF AIR HADDLER VIA AUXILIARY CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DIKT DETECTOR COPE NOT ALL AROUND ALGORITHMS.				THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM		
(3) PROVIDE SMOKE DETECTOR IN SUPPLY DUCT. CONTROL THERMOSTAT SHUT DOWN LEG OF AIR HANDLER VIA AUXILIARY CONTACT IN DUCT DETECTOR. UNIT SHALL SHUT DOWN IF DUCT DETECTOR GOES INTO ALARM. PROVIDE DUCT DETECTOR WITH REMOTE TEST STATION ADJACENT TO AIR HANDLER.	PROVIDE WITH DIGITAL PROGRAMMABLE THERMOSTAT; LOCKEY TO OWNER); AUTO CHANGEOVER TO COOLING AND HE PROVIDE WITH ADDILLARY DRAIN PAN WHICH EXTENDS 6" E DOWN UPON PRESENCE OF WATER. PROVIDE WITH SINGLE POINT POWER CONNECTION. CU SH.	SEYOND PERIMETER OF UNIT ALL BE LOCKED OUT IN HEATIN	L AROUND, INC	KEY (PROVIDE ROOM TEMP LUDE FLOAT	5 COPIES OF ERATURE SENS SWITCH TO SHI	THE OR. JT
◆UNIT MOTOR SIZE INCLUDES INTERNAL STATIC PRESSURE DROP FOR FUTURE DIRTY FILTER.				VIA AUXILIAR ECTOR WITH R	Y CONTACT IN EMOTE TEST	
	AVEC DEC CTD A C N	ODIFICATION	IS A	DVAN	CED P	PURC
O'LAKES REC. CTR A.C. MODIFICATIONS ADVANCED PURC	LAKES HEC. CIH A.C. N					
ENGINEERING MATRIX, INC. CONSULTING ENGINEERS NONE DATE 03/01/07	ENGINEERING MATRIX, INC. CONSULTING ENGINEERS 2880 SCHERRE DRIVE SUITE 640	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	DATE	03/01	/07	
ENGINEERING MATRIX, INC. CONSULTING ENGINEERS 2880 SCHERER BURG, FILORIDA 39718 SCALE NONE 03/01/07 DRWMLBY CHOLBY JOB NO.	ENGINEERING MATRIX, INC. CONSULTING ENGINEERS 2860 SCHERER DRIVE, SUITE 640 ST. PETERSBURG, FLORIDA 38716	NONE			/07	S

END OF SPECIFICATIONS

BID FORM

Item No.	Quantity	Description	Unit Price	Total
1.	2 Each	Air-cooled condensing units, AH7, per the specifications, or equal.	\$	\$
2.	1 Each	Split-system air handler (TWE), AH6, per the specifications, or equal.	\$	\$

Manufacturer:	Warranty:	
Model:	Delivery:	Calendar Days After
		Receipt of Order

"We offer to sell/provide Pasco County, Florida, the above item(s) and/or service(s) at the price(s) stated, in accordance with the terms and conditions contained herein. In addition, the item(s) and/or service(s) offered above meet all specifications contained herein or attached, unless otherwise stipulated by exception. This offer to sell/provide is firm for ninety (90) days."

	(Signature of Bidder—Ink) (Printed Name and Title)		
	(Business Name)	_	
Receipt of Addendum No.	through No	is acknowledged.	
Business Name:(The N	Name on File with the Internal Revenu	e Service)	
Doing Business as (Fictitious Name	e):		
Business Organization:			
Corporation:			
Partnership: General	Limited		
☐ Limited Liability Company (LLC	;):		
State Registered In:	Year:		
Sole Proprietorship: Owne	ər:		
Other:			
Telephone:			
Facsimile:			
Address:			
Date:			